

```
<?xml version="1.0" encoding="UTF-8"?>
<registry install_date="2020-03-10 11:26:39" version="1.1" last_modified="2020-04-09 09:41:28">
  <products>
    <product name="HCL Domino" id="0e1cb10d-1f39-11b2-8202-e8e16a17fbf8" upgrade_id="0e1cb10e-1f39-11b2-8202-e8e16a17fbf8" version="11.0.0.0" copyright="2018" info_url="www.hcl.com" support_url="www.hcl.com" location="/opt/hcl/domino/notes/11000000/linux" last_modified="2020-04-09 09:41:28">
      <![CDATA[HCL Domino]]>
        <vendor name="HCL" id="0e1cb10e-1f39-11b2-8201-e8e16a17fbf8" home_page="www.hcl.com" email=""/>
        <feature short_name="License" name="License" last_modified="2020-04-09 09:41:18">
          <![CDATA[Enables License Tracking.
```

License Tracking allows you to monitor the number of active Notes users within a Lotus Domino domain. You can use License Tracking to determine how many client licenses you have, whether you need to purchase additional licenses, and when you need to purchase them.]]>

```
        <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0" location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
          <component ref_id="0e1cb12e-1f39-11b2-822c-e8e16a17fbf8" version="1.0.0.0" location="/opt/hcl/domino/notes/11000000/linux/jre"/>
            <component ref_id="ce0af74e-1f3a-11b2-8d96-e8e16a17fbf8" version="1.0.0.0" location="/opt/hcl/domino/notes/11000000/linux/vcredist_2017_x64.exe"/>
              </feature>
              <feature short_name="Program Files" name="Program Files" last_modified="2020-04-09 09:41:12">
                <![CDATA[Selecting this option installs the core program files.]]>
                <feature short_name="Billing Support" name="Billing Support" last_modified="2020-04-09 09:41:19">
                  <![CDATA[Billing is one of the optional advanced server services that you can enable. Selecting this option will install the Billing add-in task that allows the use of the Billing Addin notes.ini parameters.]]>
                    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0" location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
                      <component ref_id="19b5ee23-1f3a-11b2-9f8d-e8e16a17fbf8" version="1.0.0.0" location=""/>
                        </feature>
                        <feature short_name="Clustering Support" name="Clustering Support" last_modified="2020-04-09 09:41:19">
                          <![CDATA[The Domino server type Mail server does not support clustering by default. All the other types, including a custom-built server, allow the selection of this parameter, which builds the server with cluster tools, filesets, and template tasks.]]>
                            <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0" location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
                              <component ref_id="19b6bdd6-1f3a-11b2-9f92-e8e16a17fbf8" version="1.0.0.0" location=""/>
                                </feature>
                                <feature short_name="Optional Network Drivers" name="Optional Network Drivers" last_modified="2020-04-09 09:40:59">
                                  <![CDATA[Domino network drivers are software files that control network communication to and from Domino servers and Notes workstations. When you install Domino, network driver files are placed in the program directory]]>
                                    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0" location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
                                      </feature>
                                      <feature short_name="Symbols Files" name="Symbols Files" last_modified="2020-04-09 09:41:27">
```

```

      <![CDATA[Selecting this option installs Symbol Files to help to debug ]]>
        <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change HCL Domino Installation"/>
        <component ref_id="19caf29b-1f3a-11b2-a058-e8e16a17fbf8" version="1.0.0.0"
location=""/>
        <component ref_id="e41abbae-1f3b-11b2-b1ec-e8e16a17fbf8" version="1.0.0.0"
location=""/>
        <component ref_id="e433bb7f-1f3b-11b2-9adf-e8e16a17fbf8" version="1.0.0.0" location=""/>
      </feature>
      <feature short_name="Java Support" name="Java Support" last_modified="2020-04-09 09:40:59">
      <![CDATA[Selecting this option allows you to run and create Java applets.]]>
        <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change HCL Domino Installation"/>
      </feature>
      <feature short_name="Enterprise Server Files" name="Enterprise Server Files"
last_modified="2020-04-09 09:40:59">
      <![CDATA[Selecting this option installs Enterprise Server Files that provides both messaging and
application services, with support for Domino clusters.]]>
        <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change HCL Domino Installation"/>
      </feature>
      <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change HCL Domino Installation"/>
        <component ref_id="19bf2f95-1f3a-11b2-9fcd-e8e16a17fbf8" version="1.0.0.0" location="/HCL
Domino Console ($IA_SHORTCUT_4$)"/>
      </feature>
      <feature short_name="DataFiles" name="Data Files" last_modified="2020-04-09 09:41:27">
      <![CDATA[Selecting this option installs the required Notes/Domino data files. Deselecting this option
will cause Notes/Domino to not function properly.]]>
        <feature short_name="Required Templates" name="Required Templates" last_modified="2020-04-
09 09:41:18">
          <![CDATA[The option to install or not install the required Domino templates.]]>
            <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change HCL Domino Installation"/>
            <component ref_id="19cbce53-1f3a-11b2-a061-e8e16a17fbf8" version="1.0.0.0"
location=""/>
          </feature>
          <feature short_name="Administration Templates" name="Administration Templates"
last_modified="2020-04-09 09:41:19">
            <![CDATA[Selecting this option installs a set of required templates used for general administrative
functions.]]>
              <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change HCL Domino Installation"/>
              <component ref_id="19b50564-1f3a-11b2-9f87-e8e16a17fbf8" version="1.0.0.0"
location=""/>
            </feature>
            <feature short_name="Optional Templates" name="Optional Templates" last_modified="2020-04-
09 09:41:19">
              <![CDATA[Selecting this option installs a set of the optional Domino templates to the Domino
server data directory.]]>
                <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change HCL Domino Installation"/>
                <component ref_id="19c26c37-1f3a-11b2-9fe5-e8e16a17fbf8" version="1.0.0.0"
location=""/>
              </feature>
            </feature>
          </feature>
        </feature>
      </feature>
    </feature>
  </feature>

```

```

    </feature>
    <feature short_name="Certificate Management" name="Certificate Management"
last_modified="2020-04-09 09:41:20">
    <![CDATA[Selecting this option installs a set of required templates used for general administrative
functions. A certificate log is created on each new server to keep track of all certificates within a system.]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
    <component ref_id="19b61ef3-1f3a-11b2-9f8f-e8e16a17fbf8" version="1.0.0.0" location=""/>
    </feature>
    <feature short_name="Readme Files" name="Readme Files" last_modified="2020-04-09
09:41:21">
    <![CDATA[Selecting this option installs the readme file for the Domino server.]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
    <component ref_id="19c9efee-1f3a-11b2-a04e-e8e16a17fbf8" version="1.0.0.0" location=""/>
    </feature>
    <feature short_name="Dojo" name="Dojo" last_modified="2020-04-09 09:41:24">
    <![CDATA[Selecting this option installs Dojo libraries]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
    <component ref_id="19b8bd85-1f3a-11b2-9fa3-e8e16a17fbf8" version="1.0.0.0"
location=""/>
    </feature>
    <feature short_name="Xpages" name="Xpages" last_modified="2020-04-09 09:41:26">
    <![CDATA[Selecting this option installs Xpages]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
    <component ref_id="19cde77d-1f3a-11b2-a06e-e8e16a17fbf8" version="1.0.0.0"
location=""/>
    </feature>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
    <component ref_id="e433bb7f-1f3b-11b2-9adf-e8e16a17fbf8" version="1.0.0.0" location=""/>
    <component ref_id="19ca98cd-1f3a-11b2-a055-e8e16a17fbf8" version="1.0.0.0" location=""/>
    </feature>
    <feature short_name="Domino Enterprise Connection Services" name="Domino Enterprise Connection
Services" last_modified="2020-04-09 09:41:18">
    <![CDATA[Domino Enterprise Connection Services (DECS) allows a user to access relational data in
real time, using a Notes front-end and a relational database back-end. The data can be viewed, updated, inserted, and
deleted from the front-end.]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
    <component ref_id="19b87c3b-1f3a-11b2-9fa2-e8e16a17fbf8" version="1.0.0.0" location=""/>
    </feature>
    <feature short_name="iNotes" name="iNotes" last_modified="2020-04-09 09:41:24">
    <![CDATA[Domino Web Access (previously iNotes Web Access) provides users with browser-based
access to Notes mail and to Notes calendar and scheduling features.]]>
    <feature short_name="Web Services Data Files" name="Web Services Data Files"
last_modified="2020-04-09 09:41:24">
    <![CDATA[Domino Web Access (previously iNotes Web Access) provides users with browser-
based access to Notes mail and to Notes calendar and scheduling features.]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL Domino Installation"/>
    <component ref_id="19cc93dd-1f3a-11b2-a065-e8e16a17fbf8" version="1.0.0.0"

```

```

location=""/>
    </feature>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change_HCL_Domino_Installation"/>
    <component ref_id="19bc5e56-1f3a-11b2-9fba-e8e16a17fbf8" version="1.0.0.0" location=""/>
    <component ref_id="e41abbae-1f3b-11b2-b1ec-e8e16a17fbf8" version="1.0.0.0" location=""/>
</feature>
<feature short_name="Domino Directory Sync Services" name="Domino Directory Sync Services"
last_modified="2020-04-09 09:40:59">
    <![CDATA[Selecting this option installs Domino Directory Sync Services]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change_HCL_Domino_Installation"/>
    </feature>
    <feature short_name="Performance Monitoring" name="Performance Monitoring"
last_modified="2020-04-09 09:40:59">
    <![CDATA[Selecting this option installs Performance Monitoring]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change_HCL_Domino_Installation"/>
    </feature>
    <feature short_name="Resource Modeling Engine" name="Resource Modeling Engine"
last_modified="2020-04-09 09:41:28">
    <![CDATA[Selecting this option allows you to run operating system level DDM Probes.]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change_HCL_Domino_Installation"/>
    <component ref_id="19ca47ab-1f3a-11b2-a052-e8e16a17fbf8" version="1.0.0.0" location=""/>
    </feature>
    <feature short_name="Help" name="Help" last_modified="2020-04-09 09:41:21">
    <![CDATA[Indicates if you want the nsf help files installed. ]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change_HCL_Domino_Installation"/>
    <component ref_id="0e1cb12e-1f39-11b2-822c-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/jre"/>
    <component ref_id="19bd3085-1f3a-11b2-9fc0-e8e16a17fbf8" version="1.0.0.0" location=""/>
    </feature>
    <feature short_name="OS Integration" name="OS Integration" last_modified="2020-04-09 09:40:59">
    <![CDATA[Adds Domino desktop icons and menu items. This feature is only available for Windows at
this time. It may be added to Linux in a later version.]]>
    <component ref_id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0"
location="/opt/hcl/domino/notes/11000000/linux/_HCL_Domino_installation/Change_HCL_Domino_Installation"/>
    </feature>
</product>

</products>
<components>
    <component id="554bb217-1f40-11b2-a39d-ef3209dd0f10" version="1.0.0.0" name="LinuxBinaries"
location="" vendor="HCL"/>
    <component id="19cde77d-1f3a-11b2-a06e-e8e16a17fbf8" version="1.0.0.0" name="XSPDomino"
location=""/>
    <component id="a63c6932-1f3f-11b2-b5ea-ef3209dd0f10" version="1.0.0.0" name="UNIX" location=""
vendor="HCL"/>
    <component id="19b61ef3-1f3a-11b2-9f8f-e8e16a17fbf8" version="1.0.0.0" name="CertManagement"
location=""/>
    <component id="19c26c37-1f3a-11b2-9fe5-e8e16a17fbf8" version="1.0.0.0" name="OptionalTemplates"
location=""/>

```

```

    <component id="19b8bd85-1f3a-11b2-9fa3-e8e16a17fbf8" version="1.0.0.0" name="Dojo_Tree"
location=""/>
    <component id="a63c691f-1f3f-11b2-b5e3-ef3209dd0f10" version="1.0.0.0" name="common"
location="/opt/hcl/domino/notes/11000000/linux/license/notices" vendor="HCL"/>
    <component id="a63c37e7-1f3f-11b2-af7f-ef3209dd0f10" version="1.0.0.0" name="InstallAnywhere VM
Component" location="/jre" vendor="HCL"/>
    <component id="19bf2f95-1f3a-11b2-9fcd-e8e16a17fbf8" version="1.0.0.0" name="JavaNdex"
location="/HCL Domino Console ($IA_SHORTCUT_4$)"/>
    <component id="19b87c3b-1f3a-11b2-9fa2-e8e16a17fbf8" version="1.0.0.0" name="DECSPprogramFiles"
location=""/>
    <component id="0e1cb12f-1f39-11b2-8229-e8e16a17fbf8" version="1.0.0.0" name="InstallAnywhere
Uninstall Component" location="/opt/hcl/domino/notes/11000000/linux/_HCL Domino_installation/Change HCL
Domino Installation" vendor="HCL"/>
    <component id="a63c6025-1f3f-11b2-b068-ef3209dd0f10" version="1.0.0.0" name="ssc properties"
location="" vendor="HCL"/>
    <component id="19ca47ab-1f3a-11b2-a052-e8e16a17fbf8" version="1.0.0.0" name="RMEDDataFiles"
location=""/>
    <component id="19b6bdd6-1f3a-11b2-9f92-e8e16a17fbf8" version="1.0.0.0"
name="ClusterSupportProgramFiles" location=""/>
    <component id="0e1cb12e-1f39-11b2-822c-e8e16a17fbf8" version="1.0.0.0" name="InstallAnywhere VM
Component" location="/opt/hcl/domino/notes/11000000/linux/jre" vendor="HCL"/>
    <component id="19ca98cd-1f3a-11b2-a055-e8e16a17fbf8" version="1.0.0.0" name="SmartIcons"
location=""/>
    <component id="19caf29b-1f3a-11b2-a058-e8e16a17fbf8" version="1.0.0.0" name="SymbolFiles"
location=""/>
    <component id="e41abbae-1f3b-11b2-b1ec-e8e16a17fbf8" version="1.0.0.0" name="AG- HCL iNo,
Symbols" location=""/>
    <component id="a63c5c2a-1f3f-11b2-afb8-ef3209dd0f10" version="1.0.0.0" name="UserInfoConfig.xml"
location="" vendor="HCL"/>
    <component id="19bc5e56-1f3a-11b2-9fba-e8e16a17fbf8" version="1.0.0.0" name="DWAProgramFiles"
location=""/>
    <component id="19cc93dd-1f3a-11b2-a065-e8e16a17fbf8" version="1.0.0.0"
name="WebServicesDataFilesConfig" location=""/>
    <component id="a63c6005-1f3f-11b2-b052-ef3209dd0f10" version="1.0.0.0" name="MultiPlatform
Binaries" location="" vendor="HCL"/>
    <component id="e433bb7f-1f3b-11b2-9adf-e8e16a17fbf8" version="1.0.0.0" name="AG- DataFiles,
Symbols" location=""/>
    <component id="ce0af74e-1f3a-11b2-8d96-e8e16a17fbf8" version="1.0.0.0" name="AG- License"
location="/opt/hcl/domino/notes/11000000/linux/vcredist_2017_x64.exe"/>
    <component id="19bd3085-1f3a-11b2-9fc0-e8e16a17fbf8" version="1.0.0.0" name="HelpDataFiles"
location=""/>
    <component id="19bcce53-1f3a-11b2-a061-e8e16a17fbf8" version="1.0.0.0"
name="UnixOptionalTemplates" location=""/>
    <component id="19b50564-1f3a-11b2-9f87-e8e16a17fbf8" version="1.0.0.0" name="AdminTemplates"
location=""/>
    <component id="a63c69bd-1f3f-11b2-b5f7-ef3209dd0f10" version="1.0.0.0" name="write flavor to notes.ini"
location="" vendor="HCL"/>
    <component id="19c9efee-1f3a-11b2-a04e-e8e16a17fbf8" version="1.0.0.0" name="Readme File"
location=""/>
    <component id="19b5ee23-1f3a-11b2-9f8d-e8e16a17fbf8" version="1.0.0.0"
name="BillingSupportProgramFiles" location=""/>
</components>
</registry>

```